

References

- [1] G. Adiv. Determining three-dimensional motion and structure from optical flow generated by several moving objects. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 7(4):384–401, 1985.
- [2] G. J. Agin. An experimental vision system for industrial application. Technical Report 103, SRS, June 1975.
- [3] H. Akaike. Fitting autoregressive model for prediction. *Annals Institute Mathematical Statistics*, 21:234–247, 1969.
- [4] H. Akaike. Information theory and an extension of the maximum likelihood principle. In B.N. Petrov and F. Csaki, editors, *2nd International Symposium on Information Theory*, pages 267–281, Budapest: Akademia Kiado, 1973.
- [5] H. Akaike. A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, AC-19(6):716–723, 1974.
- [6] H. Akaike. Prediction and entropy. In A. C. Atkinson and S. E. Feinberg, editors, *A Celebration of Statistics. The ISI Centenary Volume*, pages 1–24. Springer-Verlag, New York, 1985.
- [7] H. Akaike. Factor analysis and AIC. *Psychometrika*, 52(3):317–332, 1987.
- [8] B. F. Alexander and K. C. Ng. 3D shape measurement by active triangulation using an array of coded light stripes. In *SPIR2850*, pages 199–209. November 1987.
- [9] J. Antoch. Variable selection in linear models based on trimmed least squares estimators. In Y. Dodge, editor, *Statistical Data Analysis Based on the L_1 -norm and Related Methods*, pages 231–245. North Holland, 1987.
- [10] A. Bab-Hadiashar and D. Suter. Robust optic flow estimation using least median of squares. In *Proc. ICIP, Lausanne, Switzerland, Sept. 1996*, pages 513–516, 1996. Available from <http://www.batman.eng.monash.edu.au/ali/icip96.ps>.

- [11] A. Bab-Hadiashar and D. Suter. Robust optic flow computation. *International Journal of Computer Vision*, 29(1):59–77, August 1998.
- [12] A. Bab-Hadiashar and D. Suter. Robust range segmentation. In *14th International Conference on Pattern Recognition – ICPR’98*, Volume 2, pages 969–971, 1998.
- [13] A. Bab-Hadiashar and D. Suter. Outlier resistant GAIC-based visual data segmentation. Technical Report MECSE 1999-1, Monash University, Clayton 3168, Australia, 1999.
- [14] A. Bab-Hadiashar and D. Suter. Robust segmentation of visual data using ranked unbiased scale estimator. *ROBOTICA, International Journal of Information, Education and Research in Robotics and Artificial Intelligence*, 1999 (accepted for publication).
- [15] A. R. Barron and M. Cover. Minimum complexity density estimation. *IEEE Transactions on Information Theory*, 37(4):1034–1054, 1991.
- [16] J. L. Barron, D. J. Fleet, and S. S. Beauchemin. Systems and experimental performance of optical flow techniques. *International Journal of Computer Vision*, 12:43–77, 1994.
- [17] I. V. Basawa, R. M. Huggins, and R. G. Staudte. Robust tests for time series with an application to first-order autoregressive processes. *Biometrika*, 72:559–571, 1985.
- [18] R. A. Baxter and J. J. Oliver. MDL and MML: similarities and differences. Technical Report 207, Dept. of Computer Science, Monash University, Clayton, Victoria 3168, Australia, 1994. Available on the WWW from <http://www.cs.monash.edu.au/~jono>.
- [19] P. Beardsley, P. H. S. Torr, and A. Zisserman. 3D model acquisition from extended image sequences. In B. Buxton and R. Cipolla, editors, *Proceedings 4th European Conference on Computer Vision*, Volume 1065 of *LNCS*, pages 683–695. Springer-Verlag, London, 1996.
- [20] J. Behrens. *Robuste Ordnungswahl für autoregressive Prozesse*. Ph.D. thesis, University of Kaiserslautern, 1991.
- [21] J. M. Bernardo and A. F. M. Smith. *Bayesian Theory*. Wiley, Chichester, 1994.
- [22] P. J. Besl and R. C. Jain. Segmentation through variable order surface fitting. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(2):167–192, February 1988.
- [23] P. J. Bickel. One-step Huber estimates in linear models. *Journal of the American Statistical Association*, 70:428–434, 1975.

- [24] C. M. Bishop. *Neural Networks for Pattern Recognition*. Clarendon Press, Oxford, 1995.
- [25] M. J. Black. Combining intensity and motion for incremental segmentation and tracking over long image sequences. In *Proceedings of Second European Conference on Computer Vision*, Lecture Notes in Computer Science, pages 485–493. Springer-Verlag, 1992.
- [26] C. R. Blyth and R. G. Staudte. Estimating statistical hypotheses. *Statistics and Probability Letters*, 23:45–52, 1995.
- [27] C. R. Blyth and R. G. Staudte. Hypothesis estimation and acceptability profiles for 2×2 contingency tables. *Journal of the American Statistical Society*, 92:694–699, 1997.
- [28] P. Bouthemy and E. Francois. Motion segmentation and qualitative dynamic scene analysis from an image sequence. *International Journal of Computer Vision*, 10(2):157–182, 1993.
- [29] K. L. Boyer, M. J. Mirza, and G. Ganguly. The robust sequential estimator: A general approach and its application to surface organization in range data. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16(10):987–1001, October 1994.
- [30] H. Bozdogan. Model selection and Akaike’s information criterion (AIC): The general theory and its analytical extensions. *Psychometrika*, 52(3):345–370, 1987.
- [31] J. F. Canny. A computational approach to edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(6):679–698, November 1986.
- [32] E. Cantoni and E. Ronchetti. Robust estimation and inference for generalized linear models. Manuscript, 1999.
- [33] R. J. Carroll and S. Pederson. On robustness in the logistic regression model. *Journal of the Royal Statistics Society B*, 55:693–706, 1993.
- [34] C. Chatfield. Model uncertainty, data mining and statistical inference. *Journal of the Royal Statistics Society A.*, 158:419–466, 1995.
- [35] D. Chickering and D. Heckerman. Efficient approximation for the marginal likelihood of Bayesian networks with hidden variables. Technical Report MSR-TR-96-08, Microsoft, 1996.
- [36] C. S. Chua and R. A. Jarvis. Point signatures: A new representation for 3D object recognition. *International Journal of Computer Vision*, 25(1):63–85, 1997.

- [37] B. S. Clarke. Jeffery's prior is asymptotically least favorable under entropy risk. *J. Statist. Planning Inference*, 41:37–60, 1994.
- [38] B. S. Clarke and A. R. Barron. Information-theoretic asymptotic of Bayes methods. *IEEE Transactions on Information Theory*, 36(3):453–471, 1990.
- [39] C. W. Coakley and T. P. Hettmansperger. A bounded influence, high breakdown, efficient regression estimator. *Journal of the American Statistical Association*, 88:872–880, 1993.
- [40] J. Coleman et al. *Equality of Educational Opportunity*. Office of Education, U.S. Department of Health, Washington, D.C., 1966.
- [41] R. W. Connors and C. A. Harlow. A theoretical comparison of texture algorithms. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-2(3):204–222, May 1980.
- [42] N. Cristianini, J. Shawe-Taylor, and P. Sykacek. Bayesian classifiers are large margin hyperplanes in a Hilbert space. Technical Report NC2-TR-1998-008, Dept of Computer Science, Egham, Surrey, England, 1998.
- [43] G. Csurka, C. Zeller, Z. Zhang, and O. Faugeras. Characterizing the uncertainty of the fundamental matrix. *Computer Vision and Image Understanding*, 68(1):18–36, 1996.
- [44] A. P. Dawid. Prequential analysis, stochastic complexity and Bayesian inference. *Bayesian Statistics*, 4:109–125, 1992.
- [45] W. J. Dixon. *BMDP Manual*. University of California Press, 1985.
- [46] M. B. Dollinger, E. Kulinskaya, and R. G. Staudte. When is a p -value a good measure of evidence? In H. Rieder, editor, *Robust Statistics, Data Analysis, and Computer Intensive Methods: Lecture Notes in Statistics*, Volume 109. Springer-Verlag, 1996.
- [47] M. B. Dollinger, E. Kulinskaya, and R. G. Staudte. Guarded weights of evidence and acceptability profiles based on signs: i. permutation arguments (with discussion). *Australia and New Zealand Journal of Statistics*, 41:901–921, 1999.
- [48] D. L. Donoho and P. J. Huber. The notion of breakdown point. In P. J. Bickel, K. A. Doksum, and J. L. Hodges, editors, *A Festschrift for Erich L. Lehmann*, pages 157–184. Wadsworth, Belmont, California, 1983.
- [49] D. Draper. Assessment and propagation of model uncertainty (with discussion). *Journal of the Royal Statistical Society B*, 57:45–97, 1995.

- [50] R. O. Duda and P. E. Hart. Use of the Hough transformation to detect lines and curves in pictures. *Communications of Association for Computing Machinery*, 15(1):11–15, January 1972.
- [51] R. O. Duda and P. E. Hart. *Pattern Classification and Scene Analysis*. Wiley, New York, 1973.
- [52] R. O. Duda, D. Nitzan, and P. Barrett. Use of range and reflectance data to find planar surface regions. Technical Report 162, SRI, April 1978.
- [53] F. Dufaux and F. Moscheni. Segmentation-based motion estimation for second generation video coding techniques. In Torres and Kunt, editors, *Video Coding (The Second Generation Approach)*, chapter 6. Kluwer Academic Publishers, The Netherlands, 1996.
- [54] F. Dufaux, F. Moscheni, and A. Lippman. Spatio-temporal segmentation based upon motion and static segmentation. In *Proceedings ICIP*, pages 306–309. Washington, D. C., 1995.
- [55] B. Efron and R. J. Tibshirani. *An Introduction to the Bootstrap*. Chapman and Hall, London, UK, 1993.
- [56] M. A. Efronymson. Multiple regression analysis. In A. Ralston and H. S. Wilf, editors, *Mathematical Methods for Digital Computers*. Wiley, New York, 1960.
- [57] O. D. Faugeras. What can be seen in three dimensions with an uncalibrated stereo rig? In G. Sandini, editor, *Proceedings 2nd European Conference on Computer Vision*, Volume 588 of *LNCS*, pages 563–578. Springer-Verlag, Berlin, 1992.
- [58] O. D. Faugeras. *Three-Dimensional Computer Vision: A Geometric Viewpoint*. The MIT Press, 1993.
- [59] M. A. Fischler and R. C. Bolles. Random sampling consensus: A paradigm for model fitting with applications to image analysis and automated cartography. *Communications of the Associations for Computing Machinery*, 24(26):381–395, 1981.
- [60] R. A. Fisher. Uncertain inference. *Proceedings American Academy Arts and Sciences*, 71:245–258, 1936.
- [61] M. Gelgon and P. Bouthemy. A region level graph labeling approach to motion based segmentation. In *Proceedings of IEEE Conference on Computer Vision and Pattern recognition CVPR '97*, pages 514–519. Puerto Rico, 1997.

- [62] A. Gelman, J. B. Carlin, H. S. Stern, and D. B. Rubin. *Bayesian Data Analysis*. Chapman & Hall, New York, 1995.
- [63] S. Ghosal and R. Mehrotra. Segmentation of range images: An orthogonal-moment based integrated approach. *IEEE Transactions on Robotics and Automation*, 9(4):385–399, 1993.
- [64] P. E. Gill, W. Murray, and M. H. Wright. *Practical Optimization*. Academic Press, New York, 1981.
- [65] H. Gu, Y. Shirai, and M. Asada. MDL-based segmentation and motion modeling in a long sequence of scene with multiple independently moving objects. *IEEE Transactions on Pattern Analysis Machine Intelligence*, 18(1):58–64, 1993.
- [66] A. Guzman. Decomposition of a visual scene into three-dimensional bodies. In A. Grasseli, editor, *Automatic Interpretation and Classification of Images*. Academic Press, New York, 1969. (PhD dissertation).
- [67] A. Hald. *Statistical Theory with Engineering Applications*. Wiley, New York, 1952.
- [68] F. R. Hampel. *Contribution to the theory of robust estimation*. Ph.D. thesis, University of California, Berkeley, 1968.
- [69] F. R. Hampel. A general qualitative definition of robustness. *Annals of Mathematical Statistics*, 42:1887–1896, 1971.
- [70] F. R. Hampel. The influence curve and its role in robust estimation. *Journal of the American Statistical Association*, 69:383–393, 1974.
- [71] F. R. Hampel. Some aspects of model choice in robust statistics. In *Proceedings of the 44th Session of the ISI*, Volume 2, pages 767–771, Madrid, 1983.
- [72] F. R. Hampel, E. M. Ronchetti, P. J. Rousseeuw, and W. A. Stahel. *Robust Statistics: The Approach Based on Influence Functions*. Wiley, New York, 1986.
- [73] E. Handschin, F. C. Schweppe, J. Kohlas, and A. Fiechter. Bad data analysis for power system state estimation (with discussion). *IEEE Transactions on Power Apparatus and Systems*, 94:329–337, 1975.
- [74] E. J. Hannan and B. G. Quinn. The determination of the order of an autoregression. *Journal of the Royal Statistics Society*, 41:190–195, 1979.

- [75] R. M. Haralick, K. Shanmugan, and I. Dinstein. Textural features for image classification. *IEEE Transactions on Systems Man and Cybernetics*, SMC-3(6):610–621, November 1973.
- [76] W. Härdle. An effective selection of regression variables when the error distribution is incorrectly specified. *Annals of the Institute of Statistical Mathematics*, 39:533–548, 1987.
- [77] C. Harris. Structure-from-motion under orthographic projection. In O. Faugeras, editor, *Proceedings 1st European Conference on Computer Vision*, Volume 427 of *LNCS*, pages 118–128. Springer-Verlag, New York, 1990.
- [78] R. I. Hartley. Estimation of relative camera positions for uncalibrated cameras. In G. Sandini, editor, *Proceedings 2nd European Conference on Computer Vision*, Volume 588 of *LNCS*, pages 579–87. Springer-Verlag, Berlin, 1992.
- [79] R. I. Hartley. Lines and points in three views – a unified approach. In *ARPA Image Understanding Workshop, Monterey*. 1994.
- [80] R. I. Hartley. Projective reconstruction from line correspondences. In *Proceedings IEEE Conference on Computer Vision and Pattern Recognition*. 1994.
- [81] R. I. Hartley and P. Sturm. Triangulation. In *American Image Understanding Workshop*, pages 957–966. 1994.
- [82] S. Heriter and E. Ronchetti. Robust bounded-influence tests in general parametric models. *Journal of the American Statistical Association*, 89:897–904, 1994.
- [83] U. Hjorth. On model selection in the computer age. *Journal of Statist Plannng Inf*, (23):101–115, 1989.
- [84] R. R. Hocking. The analysis and selection of variables in linear regression. *Biometrics*, 32:1–49, 1976.
- [85] J. S. Hodges. Uncertainty, policy analysis and statistics (with discussion). *Statistical Science*, 2:259–291, 1987.
- [86] A. E. Hoerl and R. W. Kennard. Ridge regression: applications for non-orthogonal problems. *Technometrics*, 12:69–82, 1970.
- [87] A. E. Hoerl and R. W. Kennard. Ridge regression: biased estimation for non-orthogonal problems. *Technometrics*, 12:55–67, 1970.
- [88] R. L. Hoffman and A. K. Jain. Segmentation and classification of range images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 9(5):608–620, September 1987.

- [89] I. Hofman and R. A. Jarvis. Three-dimensional scene analysis using multiple range finders - data capture, coordinate transformations and initial segmentation. In *10th Australian Joint Conference on Artificial Intelligence, Curtin University of Technology, Perth, W.A. 2-4 Dec. 1997*.
- [90] A. Hoover, G. Jean-Baptiste, X. Jiang, P. J. Flynn, H. Bunke, D. B. Goldgof, K. Bowyer, D. W. Eggert, A. Fitzgibbon, and R. B. Fisher. An experimental comparison of range image segmentation algorithms. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(7):673–688, September 1996.
- [91] B. K. P. Horn and B. G. Schunck. Determining optical flow. *Artificial Intelligence*, 17:185–203, 1981.
- [92] S. L. Horowitz and T. Pavlidis. Picture segmentation by a directed split-and merge procedure. In *Proceedings 2nd International Joint Conference on Pattern Recognition, Copenhagen*, pages 424–433. August 1974.
- [93] D. W. Hosmer, B. Jovanovic, and S. Lemeshow. Best subsets logistic regression. *Biometrics*, 45:1265–1270, 1989.
- [94] M. Hotter and R. Thoma. Image segmentation based on object oriented mapping parameter estimation. *Signal processing*, 15(3):315–334, 1988.
- [95] Y. Huang, K. Palaniappan, X. Zhuang, and J. E. Cavanaugh. Optic flow field segmentation and motion estimation using a robust genetic partitioning algorithm. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17(12):1177–1190, 1995.
- [96] P. J. Huber. Robust estimation of a location parameter. *Annals of Mathematical Statistics*, 35:73–101, 1964.
- [97] P. J. Huber. Robust regression: asymptotics, conjectures and monte carlo. *The Annals of Statistics*, 1:799–821, 1973.
- [98] P. J. Huber. *Robust Statistics*. Wiley, New York, 1981.
- [99] C. H. Hurvich and C. L. Tsai. Regression and time series model selection in small samples. *Biometrika*, 76:297–307, 1989.
- [100] C. H. Hurvich and C. L. Tsai. Model selection for least absolute deviations regression in small samples. *Statistics and Probability Letters*, 9:259–265, 1990.

- [101] M. Irani, P. Anandan, and D. Weinshall. From reference frames to reference planes: Multi-view parallax geometry and its applications. In *Proceedings 5th European Conference on Computer Vision*, Volume 1406 of *LNCS*, pages 829–846. Springer-Verlag, Freiburg, 1998.
- [102] R. A. Jarvis. Image segmentation by interactively combining line, region and semantic structure. In A. Klinger, K-S. Fu, and T. L. Kunii, editors, *Data Structures, Computer Graphics, and Pattern Recognition*, pages 237–308. Academic Press, 1977.
- [103] R. A. Jarvis. Structured merge strategies for image segmentation. In *Proceedings IEEE COMSAC 77 Conference*, pages 472–485. November 1977.
- [104] R. A. Jarvis. Expedient range enhanced 3-d robot colour vision. *Robotica*, 1:25–31, 1983.
- [105] R. A. Jarvis. A laser time-of-flight range scanner for robotic vision. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-5(5):505–512, September 1983.
- [106] R. A. Jarvis. 3D vision-shape and colour. In G. Geralt and G. Hirzinger, editors, *Robotics Research – The Seventh International Symposium*, pages 354–367. Springer-Verlag, 1996.
- [107] R. A. Jarvis and E. A. Patrick. Clustering using a similarity measure based on shared near neighbours. *IEEE Transactions on Electronic Computers*, C-22(11):1025–1034, November 1973.
- [108] E. T. Jaynes. *Probability theory as extended logic*. <ftp://bayes.wustl.edu/pub/Jaynes/>, 1999.
- [109] H. Jeffreys. *Theory of Probability*. Clarendon Press, Oxford, third edition, 1961.
- [110] K. Kanatani. What is the geometric AIC? reply to my reviewers. (unpublished), 1987.
- [111] K. Kanatani. Automatic singularity test for motion analysis by an information criterion. In *Proceedings 4th European Conference Computer Vision*, Volume 1, pages 697–708. Cambridge, U.K., April 1996.
- [112] K. Kanatani. *Statistical Optimization for Geometric Computation: Theory and Practice*. Elsevier Science, Amsterdam, 1996.
- [113] K. Kanatani. Comments on “nonparametric segmentation of curves into various representations”. *IEEE Transactions on Pattern Analysis Machine Intelligence*, 19(12):1391–1392, 1997.

- [114] K. Kanatani. Comments on “symmetry as a continuous feature”. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(3):246–247, 1997.
- [115] K. Kanatani. Geometric information criterion for model selection. *International Journal of Computer Vision*, 26(3):171–189, 1998.
- [116] Y. Kanazawa and K. Kanatani. Infinity and planarity test for stereo vision. *IEICE Trans. Inf. & Syst.*, E80-D(8):774–779, 1997.
- [117] R. E. Kass and A. E. Raftery. Bayes factors. *Journal of the American Statistical Association*, 90:733–795, 1995.
- [118] M. Kendall and A. Stuart. *The Advanced Theory of Statistics*. Charles Griffin and Company, London, 1983.
- [119] H. Kollnig, H. Nagel, and M. Otte. *Association of Motion Verbs with Vehicle Movements Extracted from Dense Optical Flow Fields*, pages 338–347. Lecture Notes in Computer Science. 1994.
- [120] A. N. Kolmogorov. Three approaches to the quantitative definition of information. *Problems of Information Transmission*, 1:4–7, 1965.
- [121] W. S. Krasker and R. E. Welsch. Efficient bounded-influence regression estimation. *Journal of the American Statistical Association*, 77:595–604, 1982.
- [122] J. Krishnakumar and E. Ronchetti. Robust estimators for simultaneous equations models. *Journal of Econometrics*, 78:295–314, 1997.
- [123] T. Kubokawa, C. P. Robert, and A. K. Md. E. Saleh. Estimation of noncentrality parameters. *Canadian Journal of Statistics*, 21:45–57, 1993.
- [124] E. Kulinskaya and R. G. Staudte. Tests and optimal guarded weights of evidence. *Journal of Statistical Planning and Inference*, 71:1–18, 1998.
- [125] S. Kullback. *Information Theory and Statistics*. Wiley, New York, U.S.A., 1959.
- [126] H. R. Künsch, L. A. Stefanski, and R. J. Carroll. Conditionally unbiased bounded influence estimation in general regression models, with applications to generalized linear models. *Journal of the American Statistical Association*, 84:460–466, 1989.
- [127] K. I. Laws. *Textured image segmentation*. Ph.D. thesis, Department of Engineering, Univ. of Southern California, 1980.

- [128] E. E. Leamer. *Specification searches: ad hoc inference with nonexperimental data*. Wiley, New York, 1978.
- [129] Y. Leclerc. Constructing simple stable description for image partitioning. *International Journal of Computer Vision*, 3(1):73–102, 1989.
- [130] K-M Lee, P. Meer, and R-H Park. Robust adaptive segmentation of range images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, pages 200–205, 1998.
- [131] C. Léger and N. Altman. Assessing influence in variable selection problems. *Journal of the American Statistical Association*, 88:547–556, 1993.
- [132] E. L. Lehmann. *Testing Statistical Hypotheses*. Wiley, New York, 1986.
- [133] A. Leonardis, A. Gupta, and R. Bajcsy. Segmentation of range images as the search for geometric parametric models. *International Journal of Computer Vision*, 14:253–277, 1995.
- [134] I. J. Leontaritis and S. A. Billings. Model selection and validation methods for non-linear systems. *International Journal of Control*, 45(1):311–341, 1987.
- [135] M. Li and P. Vitányi. *An introduction to Kolmogorov complexity and its applications*. Springer-Verlag, New York, 1997.
- [136] S. Z. Li. Toward 3D vision from range images. *CGVIP: Image Understanding*, 55(3):231–260, 1992.
- [137] D. V. Lindley. Approximate Bayesian methods. In J. M. Bernardo, M. H. DeGroot, D. V. Lindley, and A. F. M. Smith, editors, *Bayesian Statistics*, pages 223–237. University Press, Valencia, 1980.
- [138] S.P. Liou, A. H. Chiu, and R. C. Jain. A parallel technique for signal-level perceptual organisation. *IEEE Transactions Pattern Analysis and Machine Intelligence*, 13(4):317–325, April 1991.
- [139] H. C. Longuet-Higgins and K. Prazdny. The interpretation of a moving retinal image. *Proceedings Royal Society London B*, 208:385–397, 1980.
- [140] J. A. F. Machado. Robust model selection and m-estimation. *Econometric Theory*, 9:478–495, 1993.
- [141] David J.C. MacKay. Bayesian interpolation. *Neural Computation*, (4):415–447, 1992.

- [142] P. Mackerras. *Machine Interpretation of Boundaries in Textured Images*. Ph.D. thesis, Australian National University, 1988.
- [143] D. Madigan and A. E. Raftery. Model selection and accounting for model uncertainty in graphical models using Occam's window. *Journal of the American Statistical Association*, 89:1535–1546, 1994.
- [144] C. L. Mallows. Some comments on C_P . *Technometrics*, 15(4):661–675, 1973.
- [145] M. Markatou and T. P. Hettmansperger. Robust bounded influence tests in linear models. *Journal of the American Statistical Association*, 85:187–190, 1990.
- [146] M. Markatou and E. Ronchetti. *Robust Inference: The Approach Based on Influence Functions*, Volume 15, pages 49–75. Elsevier Science B.V., 1997.
- [147] D. Marr and E. C. Hildreth. Theory of edge detection. *Proceedings Royal Society London B*, 207:187–217, 1980.
- [148] D. Marr and T. Poggio. Computational approaches to image understanding. *Proceedings Royal Society London B*, 204:301–328, 1979.
- [149] R. D. Martin. Robust estimation of autoregressive models. In D. R. Brillinger and G. C. Tiso, editors, *Directions in time series*, pages 228–262. Hayward, Institute of Mathematical Statistics, 1980.
- [150] T. Matsushima, H. Inazumi, and S. Hirasawa. A class of distortionless codes designed by Bayes decision theory. *IEEE Transactions on Information Theory*, 37(5):1288–1293, 1991.
- [151] G. I. McLachlan and K. Basford. *Mixture models: inference and applications to clustering*. Marcel Dekker, New York, 1988.
- [152] A. D. R. McQuarrie and C. L. Tsai. *Regression and time series model selection*. World Scientific, Singapore, 1998.
- [153] P. Meer, D. Mintz, A. Rosenfeld, and D. Y. Kim. Robust regression methods for computer vision: A review. *International Journal of Computer Vision*, 6(1):59–70, 1991.
- [154] A. J. Miller. Selection of subsets of regression variables (with discussion). *Journal of the Royal Statistical Society A*, 147:389–425, 1984.
- [155] A. J. Miller. *Subset Selection in Regression*. Chapman and Hall, London, 1990.

- [156] J. V. Miller and C. V. Stewart. MUSE: Robust surface fitting using unbiased scale estimates. In *Proceedings CVPR'96*, pages 300–305, New York, 1996. IEEE Press.
- [157] D. C. Montgomery and E. A. Peck. *Introduction to Linear Regression Analysis*. Wiley, New York, 1982.
- [158] S. Morgenthaler and J. W. Tukey. *Configural Polysampling*. Wiley, New York, 1991.
- [159] B. R. Moulton. A Bayesian-approach to regression selection and estimation with application to a price-index for radio services. *Journal of Econometrics*, 49:169–193, 1991.
- [160] J. Mundy and A. Zisserman. *Geometric Invariance in Computer Vision*. MIT press, 1992.
- [161] D. W. Murray and B. Buxton. Scene segmentation from visual motion using global optimization. *IEEE Transactions on Machine Intelligence and Pattern Analysis*, 9(2):220–228, 1987.
- [162] T. S. Newman, P. J. Flynn, and A. K. Jain. Model-based classification of quadric surfaces. *Computer Vision Graphics and Image Processing: Image Understanding*, 58(2):235–249, 1993.
- [163] H. K. Nishihara and N. C. Larson. Toward a real-time implementation of the Marr-Poggio stereo matcher. In L. Bauman, editor, *Proceedings Image Understanding Workshop*. 1981.
- [164] J. M. Odobez and P. Bouthemy. Robust multiresolution estimation of parametric motion models. *Journal of Visual Communication and Image Representation*, 6(4):348–365, December 1995.
- [165] N. Ohta and K. Kanatani. Moving object detection from optical flow without empirical thresholds. *IEICE Trans. Inf. & Syst.*, E81-D(2):243–245, 1998.
- [166] J. Pearl. On the connection between the complexity and credibility of inferred models. *International Journal of General Systems*, 4:255–264, 1978.
- [167] K. Pearson. On lines and planes of closest fit to systems of points in space. *Philosophical Magazine Series 6*, 2:559, 1901.
- [168] S. Peleg and H. Rom. Motion based segmentation. In *IEEE Proceedings of International Conference on Pattern Recognition*, pages 109–113. 1990.
- [169] T. Poggio, J. J. Little, and E. Gamble. Parallel optical flow. *Nature*, 301:375–378, 1986.

- [170] J. M. S. Prewitt. Object enhancement and extraction. In B. S. Lipkin and A. Rosenfeld, editors, *Picture Processing and Psychopictorics*. Academic Press, New York, 1970.
- [171] G. Qian and H. R. Künsch. On model selection in robust linear regression. Technical Report 80, Seminar für Statistik, ETH, Zürich, 1996.
- [172] A. Raftery. Sociological methodology. In *Bayesian model selection in social research*, pages 111–196. Blackwells, 1995.
- [173] B. D. Ripley. *Pattern recognition and neural networks*. Cambridge University Press, Cambridge, 1996.
- [174] J. Rissanen. Modeling by shortest data description. *Automatica*, 14:465–471, 1978.
- [175] J. Rissanen. Universal coding, information, prediction and estimation. *IEEE Transactions on Information Theory*, 30(4):629–636, 1984.
- [176] J. Rissanen. *Stochastic Complexity in Statistical Inquiry*. World Scientific, Singapore, 1987.
- [177] L. G. Roberts. Machine perception of three-dimensional solids. In J. T. Tippett and et al, editors, *Optical and Electro-Optical Information Processing*, pages 159–197. M.I.T. Press, Cambridge, Mass., 1965.
- [178] E. Ronchetti. *Robust testing in linear models; the infinitesimal approach*. Ph.D. thesis, ETH Zurich, 1982.
- [179] E. Ronchetti. Robust model selection in regression. *Statistics and Probability Letters*, 3:21–23, 1985.
- [180] E. Ronchetti. Robustness aspects of model choice. *Statistica Sinica*, 7:327–338, 1997.
- [181] E. Ronchetti, C. A. Field, and W. Blanchard. Robust linear model selection by cross-validation. *Journal of the American Statistical Association*, 92:1017–1023, 1997.
- [182] E. Ronchetti and R. G. Staudte. A robust version of Mallows' C_P . *Journal of the American Statistical Association*, 89:550–559, 1994.
- [183] A. Rosenfeld and J. L. Pfalz. Sequential operations in digital picture processing. *Journal of the Association for Computing Machinery*, 13(4):471–494, October 1996.

- [184] P. J. Rousseeuw. Least median of squares. *Journal of the American Statistical Association*, 79:871–880, 1984.
- [185] P. J. Rousseeuw and A. M. Leroy. *Robust Regression and Outlier Detection*. Wiley, New York, 1987.
- [186] D. Ruppert. Computing s estimators for regression and multivariate location/dispersion. *Journal of Computational and Graphical Statistics*, 1:253–270, 1992.
- [187] B. Russell. *History of Western Philosophy*. Routledge, 1961.
- [188] B. Sabata, F. Arman, and J. K. Aggarwal. Segmentation of 3D range images using pyramidal data structures. *Computer Vision Graphics and Image Processing: Image Understanding*, 57(3):373–387, 1993.
- [189] H. Samet. Region representation: quadtrees from boundary codes. *Communications Association for Computing Machinery*, 23(2):163–170, March 1980.
- [190] K. Schittowski. NLQPL: A FORTRAN-subroutine solving constrained nonlinear programming problems. *Annals of Operations Research*, 5:485–500, 1985.
- [191] R. M. Schrader and T. P. Hettmansperger. Robust analysis of variance based upon a likelihood ratio criterion. *Biometrika*, 67:93–101, 1980.
- [192] P. Schroeter and S. Ayer. Multi-frame based segmentation of moving objects combining luminance and motion. In *Proceedings of VII European Signal Processing Conference*, pages 22–225. Edinburgh. UK, 1994.
- [193] G. Schwarz. Estimating the dimension of a model. *Annals Statistics*, 6(2):461–464, 1978.
- [194] P. K. Sen. On m -tests in linear models. *Biometrika*, 69:245–248, 1982.
- [195] J. Shao. Linear model selection by cross-validation. *Journal of the American Statistical Association*, 88:486–494, 1993.
- [196] L. S. Shapiro. *Affine Analysis of Image Sequences*. Ph.D. thesis, Oxford University, 1993.
- [197] P. Shi and C. L. Tsai. A note on the unification of the Akaike information criterion. *Journal of the Royal Statistical Society B*, 60:551–558, 1998.

- [198] S. Shibata. An optimal selection of regression variables. *Biometrika*, 68:45–54, 1981.
- [199] Y. Shirai. Analysing intensity arrays using knowledge about scenes. In P. H. Winston, editor, *The Psychology of Computer Vision*, pages 93–113. McGraw-Hill, New York, 1980.
- [200] M. J. Silvapulle. Robust Wald-type tests of one sided hypothesis in the linear model. *Journal of the American Statistical Association*, 87:156–161, 1992.
- [201] D. G. Simpson, D. Ruppert, and R. J. Carroll. On one-step gm -estimates and stability of inferences in linear regression. *Journal of the American Statistical Association*, 87:439–449, 1992.
- [202] R. Solomonoff. A formal theory of inductive inference. *Information and Control*, 7:1–22, 1964.
- [203] S. Sommer. *Robust variable selection in the presence of outliers*. Ph.D. thesis, La Trobe University, Division of Mathematics and Statistical Science, 1997.
- [204] S. Sommer and R. M. Huggins. A robust C_P using the Wald test. *Journal of the Royal Statistical Society C*, 45:15–29, 1996.
- [205] S. Sommer and R. G. Staudte. Robust variable selection in regression in the presence of outliers and leverage points. *Australian Journal of Statistics*, 37:323–336, 1995.
- [206] W. A. Stahel and S. Weisberg, editors. *Directions in Robust Statistics and Diagnostics*. Springer-Verlag, New York, 1991.
- [207] R. G. Staudte and S. J. Sheather. *Robust Estimation and Testing*. Wiley, New York, 1990.
- [208] C. M. Stein. Multiple regression. In I. Olkin, editor, *Contributions to Probability and Statistics, Essays in Honour of Harold Hotelling*, pages 424–443. Stanford University Press, 1960.
- [209] C. V. Stewart. MINPRAN: A new robust estimator for computer vision. *IEEE Transactions on Pattern Analysis Machine Intelligence*, 17(10):925–938, 1995.
- [210] C. V. Stewart. Bias in robust estimation caused by discontinuities and multiple structures. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(8):818–833, 1997.
- [211] M. Stone. An asymptotic equivalence of choice of model by cross-validation and Akaike’s criterion. *Journal Royal of the Statistics Society*, 39:44–47, 1977.

- [212] M. Stone. An asymptotic equivalence of choice of model by cross-validation and Akaike's criterion. *Journal of the Royal Statistics Society B*, 39:44–47, 1977.
- [213] S. A. Teukolsky, W. H. Press, B. P. Flannery, and W. T. Vetterling. *Numerical Recipes in C, the art of scientific computing*. Cambridge University Press, Cambridge, 1988.
- [214] W. B. Thompson. Combining motion and contrast for segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2:543–549, 1980.
- [215] C. Tomasi and T. Kanade. Shape and motion from image streams under orthography: a factorization method. *International Journal of Computer Vision*, 9:137–154, 1992.
- [216] P. H. Torr and D. W. Murray. Statistical detection of independent movement from a moving camera. *Image and Vision Computing*, 11(4):180–187, 1993.
- [217] P. H. S. Torr. *Outlier Detection and Motion Segmentation*. Ph.D. thesis, Dept. of Engineering Science, 1995.
- [218] P. H. S. Torr. An assessment of information criteria for motion model selection. In *Proceedings CVPR'97*, pages 47–53. Puerto Rico, June 1997.
- [219] P. H. S. Torr. Geometric motion segmentation and model selection. *Philosophical Transactions of the Royal Society A*, 356:1321–1340, 1998.
- [220] P. H. S. Torr, A. FitzGibbon, and A. Zisserman. Maintaining multiple motion model hypotheses through many views to recover matching and structure. In U. Desai, editor, *ICCV'96*, pages 485–492. Narosa Publishing House, 1998.
- [221] P. H. S. Torr, A. FitzGibbon, and A. Zisserman. The problem of degeneracy in structure and motion recovery from uncalibrated image sequences (Marr prize paper). In *ICCV'99*. 1999.
- [222] P. H. S. Torr and D. W. Murray. Outlier detection and motion segmentation. In P. S. Schenker, editor, *Sensor Fusion VI*, Volume 2059, pages 432–443. SPIE, Boston, 1993.
- [223] P. H. S. Torr and D. W. Murray. Stochastic motion clustering. In *Proceeding of Third European Conference on Computer Vision*, pages 328–337. 1994.

- [224] P. H. S. Torr and D. W. Murray. The development and comparison of robust methods for estimating the fundamental matrix. *International Journal of Computer Vision*, 24(3):271–300, 1997.
- [225] P. H. S. Torr and A. Zisserman. Robust parameterization and computation of the trifocal tensor. *Image and Vision Computing*, 15:591–607, 1997.
- [226] P. H. S. Torr and A. Zisserman. Concerning Bayesian motion segmentation, model averaging, matching and the trifocal tensor. In H. Burkhardt and B. Neumann, editors, *ECCV'98*, Volume 1, pages 511–528. Springer-Verlag, 1998.
- [227] P. H. S. Torr and A. Zisserman. Robust computation and parametrization of multiple view relations. In U. Desai, editor, *ICCV'96*, pages 727–732. Narosa Publishing House, 1998.
- [228] P. H. S. Torr, A. Zisserman, and S. Maybank. Robust detection of degenerate configurations for the fundamental matrix. *Computer Vision and Image Understanding*, 71(3):312–333, 1998.
- [229] W. Triggs. The geometry of projective reconstruction i: Matching constraints and the joint image. In *Proceedings 5th International Conference on Computer Vision, Boston*, pages 338–343. 1995.
- [230] I. Triono, N. Ohta, and K. Kanatani. Automatic recognition of regular figures by geometric AIC. *IEICE Trans. Inf. & Syst.*, E81-D(2):246–248, 1998.
- [231] S. Ullman. *The Interpretation of Visual Motion*. MIT Press, Cambridge (MA), 1979.
- [232] V. Vapnik. *The Nature of Statistical Learning Theory*. Springer-Verlag, New York, 1995.
- [233] V. Vapnik. *Statistical Learning Theory*. Wiley, New York, 1998.
- [234] M. P. Victoria-Feser. A robust model choice test for non-nested hypotheses. *Journal of the Royal Statistical Society B*, 59:715–727, 1997.
- [235] A. Wald. On a statistical problem arising in the classification of an individual into one of two groups. *Annals Mathematical Statistics*, 15:145–162, 1944.
- [236] C. S. Wallace and D. M. Boulton. An information measure for classification. *Computer Journal*, 11(2):195–209, 1968.

- [237] C. S. Wallace and P. R. Freeman. Estimation and inference by compact coding. *Journal of the Royal Statistics Society B*, 49(3):240–265, 1987.
- [238] D. I. Waltz. *Generating semantic descriptions from drawings of scenes with shadows*. Ph.D. thesis, MIT, 1972.
- [239] J. Wang and E. Adelson. Representing moving images with layers. *IEEE Transactions on Image Processing*, 3(5):635–638, 1994.
- [240] J. Weber and J. Malik. Rigid body segmentation and shape description from dense optical flow under weak perspective. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(2):139–143, February 1997.
- [241] A. F. Weir, P. A. Dunn, P. I. Corke, and R. G. Burford. High speed vision processing. In *Proceedings Workshop on Imaging Software and Hardware, University of Sydney*. February 1985.
- [242] A. H. Welsh and E. Ronchetti. A journey in single steps: robust one-step M-estimation in linear regression. Manuscript, 1999.
- [243] G.A.F. Wild and C. J. Seber. *Non-Linear Regression*. Wiley, New York, 1989.
- [244] P. H. Winston, editor. *The Psychology of Computer Vision*. McGraw-Hill, New York, 1980.
- [245] X. Yu, T. D. Bui, and A. Krzyak. Robust estimation for range image segmentation and reconstruction. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16(5):530–538, May 1994.
- [246] N. Yukoya and M. D. Levine. Range image segmentation based upon differential geometry. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(6):643–649, June 1989.
- [247] A. Zellner. Jeffreys-Bayes posterior odds ratio and the Akaike information criterion for discriminating between models. *Economics Letters*, (1):337–442, 1978.
- [248] A. Zellner. *Basic Issues in Econometrics*. University of Chicago Press, 1984.
- [249] P. Zhang. On the distributional properties of model selection criteria. *Journal of the American Statistical Association*, 87:732–737, 1992.
- [250] Z. Zhang. Determining the epipolar geometry and its uncertainty: A review. *International Journal of Computer Vision*, 27(2):161–195, 1997.

